#### GENERAL CONSTRUCTION NOTES

#### SECTION J COMPLIANCE

THE SECTION J REPORT IS TO BE READ IN CONJUNCTION WITH THE ARCHITECTURAL AND ENGINEERING DOCUMENTATION WITH ALL FLEMENTS TO BE INCORPORATED INTO THE BUILT STUCTURE AS REQUIRED.

#### **BUILDING MATERIALS**

BUILDING CONSTRUCTION IS TO CONSIST OF REINFORCED CONCRETE SLABS, WALLS AND COLUMNS (IF REQUIRED), (TO ENGINEERS DETAILS), WITH BRICK CLADDING. ALL BRICKWORK IS TO BE CONSTRUCTED IN ACCORDANCE WITH N.C.C. AND AS3700. ALL LIGHT WEIGHT CLADDING TO BE CONSTRUCTED IN ACCORDANCE WITH N.C.C. AND AS2908 ALL LIGHT WEIGHT WALL FRAMING TO BE CONSTRUCTED IN ACCORDANCE WITH N.C.C. AND AS1684 OR AS3623 REQUIREMENTS

ALL STRUCTURAL STEEL TO DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH N.C.C. AND AS/NZS4100

ROOF TO BE FABRICATED ACCORDANCE WITH N.C.C. AND AS1684 OR AS3623 REQUIREMENTS ALL LININGS, MATERIALS AND ASSEMBLY TO COMPLY WITH C1.10 OF THE N.C.C. REQUIREMENTS ALL CONSTRUCTION AND BUILDING MATERIALS TO COMPLY WITH RELEVANT N.C.C. REQUIREMENTS AND AUSTRALIAN STANDARD REGULATIONS

#### **TERMITE PROTECTION**

TO PROTECT THE BUILDING FROM ATTACK BY TERMITES OR OTHER PESTS, TERMITE SHIELDS OR OTHER SUITABLY APPROVED PHYSICAL BARRIERS COMPLYING WITH AS3660 ARE TO BE INSTALLED

#### INSULATION

INSULATION TO BE R3.5 FOR CEILING BATS WITH SARKING BETWEEN ROOF BATTENS AND COLOURBOND ROOF SHEETING

ALL EXTERNAL WALLS TO HAVE R2.5 BATS IN WALL CAVITY.

ALL SARKING MATERIAL TO COMPLY WITH AS/NZS 4200 PART 1 AND 2 SOFFIT OF SUSPEND SLABS WITH CONDITIONING SPACES ABOVE TO HAVE R2.0 INSULATION INSTALLED (IF REQUIRED)

#### WEATHERPROOFING REQUIREMENTS

INSTALL AIR SEALS ON ALL OPENABLE EXTERNAL WINDOWS AND DOORS OR INSTALL WINDOWS COMPLYING WITH AS2047 INSTALL AIR LOCK, SELF CLOSING MECHANISM, REVOLVING DOOR OR THE LIKE TO LOBBY/ENTRY DOOR

#### WATERPROOFING REQUIREMENTS

ALL WET AREAS ARE TO HAVE AN APPROVED WATERPROOFING MEMBRANE IN ACCORDANCE WITH N.C.C. REQUIREMENTS AND AS3740 AND AS4854

#### **EXTERNAL FINISHES** (REFER TO DRAWING A1.04 FOR LOCATIONS)

ROOFING SHEETING, FASCIA BOARDS, GUTTERS AND DOWNPIPES TO HAVE COLORBOND BASALT COLOUR FINISH

BRICK WALLS TO BE FACE BRICK 'PGH SMOOTH CHOC TAN' WITH WHITE MORTAR RENDERED/PAINTED WALLS TO HAVE PAINTED FINISH 'JARRAH' BY DULUX ALL EXTERNAL CLADDING TO BE EASYLAP PANEL BY JAMES HARDIE WITH COLOUR FINISH

'SHELL HAVEN' BY DULUX ALL WINDOWS, SLIDING/SWING DOOR FRAMES TO BE COLORBOND WINDSPRAY COLOUR FINISH BASEMENT CARPARK CONCRETE SLAB TO HAVE WHITE LINE MARKINGS AND YELLOW

CROSSING MARKINGS IF REQUIRED ALL POOLSTYLE AND PALISADE FENCING TO BE POWDER COATED BLACK ALL MODULAR WALL FENCING TO HAVE PAINTED FINISH 'SHALE GREY' BY DULUX ALL COLORBOND FENCING TO BE POWDER COATED COLORBOND SHALE GREY FINISH ALL EXTERNAL STRUCTURAL STEELWORK TO HAVE COLORBOND BASALT FINISH ALL BALUSTRADES TO CONSIST OF METAL FRAMING WITH COLORBOND WINDSPRAY FINISH AND TRANSULCENT INFILL GLAZING

#### DOOR AND HANDLE REQUIREMENTS

ALL EXTERNAL DOORS TO BE 40mm SOLID CORE DOORS WITH RAVEN DOOR SEALS RP1 (FRAMES) AND RP8 (BOTTOM SEAL) AND TO HAVE R28 INSULATION RATING. LATCH OPERATING DEVICES FOR ALL EXIT DOORS AND DOORS IN THE PATH OF TRAVEL TO AN EXIT DOOR TO COMPLY WITH N.C.C. CLAUSE D2.21. ALL EXIT DOORS MUST BE ABLE TO BE OPENED BY A FORCE NO GREATER THAN 110N IN AOCORDANCE WITH N.C.C. CLAUSE 2.19. ALL EXTERNAL AND INTERNAL DOOR FURNITURE TO BE LEVER HANDLES FOR EASY ACCESS THAT ARE DEPRESSED DOWNWARD.

#### DISABLE ACCESS REQUIREMENTS

PROVIDE DISABLED ACCESS IN ACCORDANCE WITH N.C.C. CLAUSE D3.2 & D3.3 AND AS1428. PROVIDE IDENTIFICATION ACCESSIBLE FACITILIES, SERVICES AND FEATURES IN ACCORDANCE WITH N.C.C. D3.6 & D3.8 AND AS1428. IF HEARING AUGMENTATION SYSTEM IS REQUIRED. DESIGN AND INSTALL SYSTEM TO MEET N.C.C. D3.7 AND AS1428

#### SYMBOLOGY LEGEND

STWIDOLOG	LLOLIAD
RB	RUBBISH STORAGE
H/W	HOT WATER UNIT
FB	FIRE BLANKET
FE	FIRE EXTINGUISHER
FH	FIRE HOSE REEL
EC	ELECTRICAL CUPBOARD TO HAVE 120/120/120 FIRE RATING
AC	AIR-CONDITIONER UNIT
EXIT	EMERGENCY EXIT SIGNS
DP	DOWN PIPES
FSL	FINISHED SURFACE LEVEL
NGL	NATURAL GROUND LEVEL
FGL	FINISHED GROUND LEVEL

#### COUNCIL AND DEECD NOTES

#### **SPACE REQUIREMENTS**

THIS CENTRE WILL INCLUDE: AN ADMINISTRATION ROOM FOR SERVICE AND PRIVATE CONSULTATION BETWEEN STAFF AND PARENTS - INDICATED ON PLANS AS OFFICE. A RESPITE ROOM FOR STAFF - INDICATED ON PLANS AS STAFF ROOM ALL INTERNAL PLAY AREAS HAVE BEEN DESIGNED TO EXCEED A CLEAR UNENCUMBERED PLAY SPACE OF 3.25 SQUARE METRES PER CHILD. ALL EXTERNAL PLAY AREAS HAVE BEEN DESIGNED TO EXCEED A CLEAR USABLE PLAY SPACE OF 7 SQUARE METRES PER CHILD. SHADED AREAS FOR THE OUTDOOR PLAY AREAS HAVE BEEN PROVIDED AND EXCEED THE REQUIREMENTS PUBLISHED BY THE NEW SOUTH WALES CANCER COUNCIL UNDER THE TITLE "THE SHADE HANDBOOK".

#### **LAUNDRY**

THIS CENTRE HAS A LAUNDRY ROOM ON THE PREMISES FOR THE PURPOSE OF CLEANING SOILED CLOTHES AND THE LIKE. ALSO PROVIDED ARE SAFE, SANITARY FACILITIES FOR THE STORAGE OF ITEMS BEFORE LAUNDERING.

THE WASHING MACHINE AND TUBS IN THE LAUNDRY ARE BOTH CONNECTED TO THE HOT AND COLD WATER.

#### CRAFT PREPARATION FACILITIES

CRAFT AREAS WILL INCLUDE A PREP TUB, BENCH SPACE AND CUPBOARDS WITH CHILD PROOF LOCKS. THESE HAVE BEEN PROVIDED IN EVERY PLAY ROOM. THESE HAVE BEEN LOCATED AWAY FROM ANY FOOD PREPARATION AREAS AND NAPPY CHANGING FACILITIES.

#### FOOD PREPARATION FACILITIES

A KITCHEN AND PANTRY FACILITY, SEPARATE TO ALL CHILD PLAY AREAS HAS BEEN PROVIDED FOR FOOD PREPARATION. INCLUSIONS ARE: STOVE, MICROWAVE, SINKS (HOT AND COLD WATER), REFRIGERATOR, FREEZER, PANTRY AND WATER WASHING FACILITIES WITH THE KITCHEN DOOR HAVING CHILD PROOF HANDLE INSTALLED TO PREVENT ACCESS TO ANY HARMFUL SUBSTANCE EQUIPMENT OR AMENITY BY THE CHILDREN

ALL CONSTRUCTION, FITOUT AND FINISHES OF THE KITCHEN TO BE IN ACCORDANCE WITH AS4674 AND STANDARD 3.2.3 OF THE AUSTRALIAN AND NEW ZEALAND FOOD STANDARDS CODE UNDER THE FOOD ACT OF 2003

BOTTLE PREPARATION AREAS HAVE BEEN PROVIDED WITH A CHILD PROOF DOOR AND HANDLE TO PREVENT ACCESS BY CHILDREN, THESE AREAS ARE AWAY FROM THE NAPPY-CHANGING FACILITIES.

ALL CONSTRUCTION, FITOUT AND FINISHES TO BE IN ACCORDANCE WITH AS4674 AND STANDARD 3.2.3 OF THE AUSTRALIAN AND NEW ZEALAND FOOD STANDARDS CODE UNDER THE FOOD ACT OF 2003

#### TOILET AND WASHING FACILITIES

ALL SANITARY FACILITIES WILL COMPLY WITH THE REQUIREMENTS FOR A CLASS 9b BUILDING (EARLY CHILDHOOD CENTRE) OF THE N.C.C. CLAUSE F2.3. ALL DISABLED W.C. AREAS TO COMPLY WITH AS1428 PARTS 1-3

#### NAPPY CHANGE FACILITIES

NAPPY CHANGING FACILITIES WILL BE PROVIDED IN A SEPARATE AREA NOT ACCESSIBLE TO CHILDREN UNLESS SUPERVISED AND WILL INCLUDE SOLID BENCHES (900mm WIDE), IMPERVIOUS WASHABLE MATS (1 PER 10 CHILDREN), HAND WASHING FOR STAFF. SANITARY FACILITIES FOR SOILED NAPPIES. STORAGE FOR CLEAN NAPPIES, AND A CONTAMINATED WASTE DISPOSAL UNIT ALSO PROVIDED IS AN AGE APPROPRIATE WASHING FACILITY WITH TEMPERATURE REGULATED HOT AND COLD RUNNING WATER IN THE NAPPY CHANGE AREA.

#### SLEEPING FACILITIES

THE DEDICATED COT ROOMS ARE DESIGNED TO ALLOW EASY ACCESS BETWEEN EACH COT. ALL COTS TO COMPLY WITH AS/NZS2172 OR AS/NZS2195. THERE WILL BE ADEQUATE NUMBERS OF COTS/SLEEPING MATS FOR EACH CHILD AND CLEAN BEDDING FOR EACH CHILD EACH TIME. NO CHILD OVER THE AGE OF 2 (EXCEPT WITH WRITTEN CONSENT FROM PARENTS) SLEEPS IN A ROOM WITH AN ADULT SLEEPING. NO CHILD OVER THE AGE OF 7 WILL SLEEP IN THE SAME ROOM AS ANOTHER CHILD OF THE OPPOSITE SEX WHO IS NOT A RELATIVE.

#### DEVELOPMENT AND PLAY EQUIPMENT

ALL PLAY EQUIPMENT, BOTH INDOOR AND OUTDOOR, MUST NOT BE ABLE TO INJURE ANY CHILD BY EITHER FALL FROM A HEIGHT, SHARP EDGES. PINCHING, CRUSHING OR TRAPPING.

ALL EQUIPMENT MUST BE IN GOOD WORKING ORDER AT ALL TIMES. ALL SURFACES IN THE PLAYGROUND AREAS MUST COMPLY WITH AS4422 REQUIREMENTS.

#### FIRST AID KITS

THE CENTRE MUST BE EQUIPPED WITH A SUITABLE AND FULLY STOCKED FIRST AID KIT, A KIND APPROVED BY WORKCOVER AUTHORITY UNDER THE OH&S ACT 2000.

THE FIRST AID KIT MUST BE INACCESSIBLE TO CHILDREN, BUT READILY ACCESSIBLE TO ALL STAFF.

ADULT AND CHILD CARDIO-PULMONARY RESUSCITATION CHARTS MUST BE DISPLAYED IN A PROMINENT POSITION BOTH INSIDE AND OUT.

## **GLASS**

ALL GLAZED AREAS THAT ARE ACCESSIBLE TO THE CHILDREN THAT ARE 750mm OR LESS ABOVE THE FLOOR LEVEL WILL BE SAFETY GLASS AS PER N.C.C. REQUIREMENTS AND AS/NZS2208, AS1288 AND AS2047-2014 ALL WINDOWS THAT ARE ABLE TO BE OPENED MUST BE FITTED WITH APPROPRIATE BARRIERS (FLY SCREENS)

#### FIRE SAFETY EQUIPMENT

THE CENTRE MUST HAVE FIRE HOSE REELS. FIRE EXTINGUISHERS AND BLANKETS, SMOKE DETECTORS, EMERGENCY LIGHTING, EXIT SIGNS, ETC. THAT COMPLY WITH THE N.C.C. REQUIREMENTS AND AS2293, AS2441, AS2444, AS/NZS3504, AND AS3786. ALL MAINTENANCE FIRE EQUIPMENT MUST COMPLY WITH AS1851

IF THE CENTRE IS LOCATED IN A BUSH FIRE ZONE THE BUILDING MUST BE BUILT TO COMPLY WITH AS3959.

#### VENTILATION, LIGHT AND HEATING

THE CENTRE HAS BEEN DESIGNED TO PROVIDE ADEQUATE ACCESS TO NATURAL LIGHT AND VENTILATION. ALL ARTIFICAL LIGHTING TO MEET AS/NZS 1680-2009 AND N.C.C. F4.4 ADDITIONAL VENTILATION IS PROVIDED BY MECHANICAL VENTILATION WITH ALL AIR HANDLING UNITS LOCATED OUT SIDE, AWAY FROM CHILDREN'S PLAY AREAS BUILDING VENTILATION TO MEET AS1668.2-2012 & AS/NZS 3666.1-2011 AND N.C.C. F4.5 REQUIREMENTS.

ALL CONTROLS WILL BE KEPT AWAY FROM CHILDREN. EXHUAST FANS IN CONDITIONED AREAS MUST BE FITTED WITH A SEALING DEVICE SUCH AS SELF CLOSING DAMPER OR THE LIKE

#### HOT WATER

ALL HOT WATER ACCESSIBLE TO CHILDREN MUST BE REGULATED TO KEEP THF TEMPERATURE FROM THESE OUTLETS BELOW 43.5° DEGREES CELSIUS

#### **FENCING**

ALL DESIGNATED OUTDOOR PLAY SPACES MUST BE FENCED ON ALL SIDES DESIGN AND HEIGHT OF ALL FENCING IS TO PREVENT CHILDREN FROM SCALING OR CRAWLING UNDER OR THROUGH IT. ALL SIDE OF STAIRWAYS, RAMPS, CORRIDORS, HALLWAYS OR EXTERNAL BALCONYS NOT ABUTTING A WALL MUST BE ENCLOSED TO PREVENT CHILDREN FROM ENTERING OR LEAVING THE PREMISES UNSUPERVISED. ALL GATES ACCESSIBLE TO THE CHILDREN ARE TO BE FITTED WITH CHILD RESISTANCE LATCHES AND SHELF CLOSING HINGES IN ACCORDANCE AS1926.1

#### CLEANLINESS, MAINTENANCE AND REPAIRS

THE PREMISES AND ALL EQUIPMENT MUST BE MAINTAINED IN A SAFE. CLEAN AND HYGIENIC CONDITION AND IN GOOD REPAIR AT ALL TIMES. THE PREMISES WILL BE KEPT FREE FROM VERMIN AND PESTS. THE PREMISES WILL NOT BE FUMIGATED WHILE CHILDREN ARE IN ATTENDANCE. THE BUILDING WILL BE FITTED WITH APPROPRIATE DEVICES TO PREVENT CHILDREN FROM GAINING ACCESS TO POWER POINTS OR OTHER ELECTRICAL OUTLETS, AND TO MINIMISE THE RISK OF ELECTRICAL SHOCKS ARISING FROM ELECTRICAL WIRING. THE PREMISES WILL BE KEPT CLEAN FROM RUBBISH, GARBAGE AND RUBBLE.

#### STORAGE FACILITIES

STORAGE ROOMS ARE PROVIDED IN ALL PLAYROOMS FROM 1 YEAR AND OVER WITH CHILD PROOF DOORS AND HANDLES. OUTDOOR STORAGE FACLITIES ARE TO BE PROVIDED FOR EXTERNAL PLAY EQUIPMENT, REFER TO PLANS FOR LOCATION. LOCKERS ON LOCKABLE CASTORS ARE PROVIDED FOR EACH CHILD IN THE PLAYROOMS.

#### **TELEPHONE**

THERE WILL BE AT LEAST 2 TELEPHONES IN THE CENTRE FOR CONTACTING ANY EMERGENCY SERVICE NEEDED

SCHEDULE OF PLAY AREAS						
LOCATION	UNENCUMBERED	SPACE AMOUNTS				
LOCATION	REQUIRED	PROPOSED				
PLAY ROOM 1 (2-3Yrs) Designed for 15 Children	<b>48.75sqm</b> (3.25qm/Child)	50.30sqm (3.35sqm/Child)				
PLAY ROOM 2 (3-5Yrs) Designed for 20 Children	65.00sqm (3.25qm/Child)	69.00sqm (3.45sqm/Child)				
PLAYGROUNDS TOTAL Designed for 35 Children	245.00sqm (7.00sqm/Child)	264.40sqm (7.55sqm/Child)				
EXTERNAL SHADE Designed for 35 Children	87.50sqm (2.50sqm/Child)	95.70sqm (2.73sqm/Child)				

MEMBER SCHEDULE						
MARK	SIZE DEPTHXWIDTH	COMMENTS				
DOORS						
D1	2100x1660	EXT DOOR 2100×1000 ALUMINIUM FRAMED GLASS PANELS FULL HEIGHT WITH 2100 HIGH FIXED GLASS PANEL WINDOW				
D2	2040x920	INT DOOR SOLID				
D3	2040x920	INT DOOR WITH GLASS PANEL HIGH				
D4	2040x920	INT SPLIT DOOR WITH GLASS PANEL HIGH				
D5	2040x820	FIRE RATED -/120/30 WITH SELF CLOSING MECHANISM				
D6	2100x1000	EXT DOOR ALUMINIUM FRAMED GLASS PANEL FULL HEIGHT				
D7	2100x2684	EXT 3 LEAF SLIDER WITH 2 FIXED PANELS, 1000 WIDE SLIDING LEAF				
D8	2100x1200	ROLLER DOOR				
D9	2100x1000	EXT FIRE RATED -/120/30 WITH SELF CLOSING MECHANISM				
WINDOWS						
W1	1800x610	FIXED PANEL				
W2	1030x1210	SLIDER				
W3	772x610	SLIDER				
W4	1800x2170	FIXED PANEL				
W5	1800x850	FIXED PANEL				
W6	1000x1800	FIXED PANEL				
W7	1000x1100	FIXED PANEL				
W8	1000x800	FIXED PANEL				
W9	600x2650	AWNING ELECTRONICALLY OPERATED				
GATES						
G1	1200x920	POOL STYLE GATE WITH SHELF CLOSING HINGES AND CHILD PROOF LOCK				
G2	1500x1000	POOL STYLE GATE WITH SHELF CLOSING HINGES AND CHILD PROOF LOCK				
G3	1800x1000	COLORBOND SECURITY GATE WITH LOCKABLE LATCH				
G4	1200x1000	POOL STYLE GATE WITH SHELF CLOSING HINGES AND CHILD PROOF LOCK				

- WINDOW AND DOOR SIZES MAY VARY BETWEEN MANUFACTURERS. BUILDER TO CONFIRM WINDOW AND DOOR SIZES PRIOR TO WALL FRAMES BEING MANUFACTURED
- DOOR HARDWARE TO BE LOCATED AT 1550mm ABOVE FLOOR LEVEL EXCEPT FOR DISABLED TOILET WHERE HARDWARE IS TO BE LOCATED 1000mm ABOVE FOOR LEVEL
- 3. ALL DOOR FRAMES TO HAVE A 30% LUMINANCE CONTRAST WITH DOORS

						Client
						(
						(
С	RE-ISSUED	FOR COUNCIL D.A. APPROVAL	SD	SD	03.08.21	
В	RE-ISSUED	FOR COUNCIL D.A. APPROVAL	SD	SD	18.06.21	
Α	ISSUED FOR	SSUED FOR COUNCIL D.A. APPROVAL				Project
Rev.	v. Revision Description				Date	
	This work remains the copyright of Creative Drafting Services and cannot be reproduced in any form without written consent. The contractor shall verify all dimensions					
		and levels on site and report any discre proceeding with the work. Use of all me	epan	cies	before	'
		and specified are to be in accordance instructions, engineers details, councils all associated A.S. and N.C.C. requireme	with requi	mai	nufacturers	Title (

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS

FOR APPROVAL


Childcare Developments Group Pty Ltd

New Child Care Centre at 1 Cameron Avenue West Pennant Hills NSW 2125


GENERAL NOTES


REATIVE DRAFTING SERVICES Designing What You Want **Shane Duck** 0418 437 759 Email: shane@creativedrafting.com.au P.O.Box 133N Campbelltown NSW 2560 Web: www.creativedrafting.com.au

	ABN: 16 132 084 096	•
Scale:	Drawn:	Date:
NTS	SD	01.10.20
Job Number:	Drawing Number:	Issue:
201350	A0.00	C
•	•	



A1





CAR SPACES

TOTAL CAR SPACE AREA CALCULATIONS

Requirements: 1 space per 4 children

LICENSED PLACES - 35 REQUIRED - 9

1 DISABLED CAR SPACES (User Class 4)

1 SHARED CAR SPACES

TOTAL - 10 SPACES


ANY TRAFFIC MATTERS

5 ON-SITE STAFF CAR SPACES (User Class 1A)

4 ON-SITE PARENT CAR SPACES (User Class 3)


A COMPREHENSIVE TRAFFIC REPORT HAS BEEN SUBMITTED


WITH THE INITIAL DEVELOPMENT APPLICATION ADDRESSING







A1





GROUND FLOOR LAYOUT







C RE-ISSUED FOR COUNCIL D.A. APPROVAL SD SD 03.08.21 B RE-ISSUED FOR COUNCIL D.A. APPROVAL SD SD 18.06.21		BORA	EATING SI	ERVICES
A ISSUED FOR COUNCIL D.A. APPROVAL SD SD 20.01.21  Rev. Revision Description By. App. Date	Project New Child Care Centre		Shane Duc	k
This work remains the copyright of Creative Drafting Services and cannot be reproduced in any form without written consent. The contractor shall verify all dimensions and levels on site and report any discrepancies before proceeding with the work. Use of all materials noted	at 1 Cameron Avenue West Pennant Hills NSW 2125	O418 437 759 Email: shane@creativedrafting.com.au P.O.Box 133N Campbelltown NSW 2560 Web: www.creativedrafting.com.au ABN: 16 132 084 096		
and specified are to be in accordance with manufacturers instructions, engineers details, councils requirements and all associated A.S. and N.C.C. requirements	PLAYGROUND SET-OUTS AND NOTES	Scale: 1:100	Drawn: SD	Date: 01.10.20
DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS		Job Number: <b>201350</b>	Drawing Number: A1.03	Issue:
FOR APPROVAL			'	

-INDICATES FACE BRICK REFER TO


DRAWING A0.00 FOR COLOUR FINISH















RE-ISSUED FOR COUNCIL D.A. APPROVAL SD SD 03.08.21 RE-ISSUED FOR COUNCIL D.A. APPROVAL SD SD 18.06.21			ERVICES That You Want	
ISSUED FOR COUNCIL D.A. APPROVAL SD SD 20.01.21  Revision Description By. App. Date  This work remains the copyright of Creative Drafting Services and cannot be reproduced in any form without written consent. The contractor shall verify all dimensions and levels on site and report any discrepancies before	New Child Care Centre at 1 Cameron Avenue West Pennant Hills NSW 2125	Email: sha P.O.Box 13 Web: w	Shane Duck 418 437 79 ane@creativedrafi 33N Campbelltow ww.creativedraftin ABN: 16 132 084 0	<b>5K</b> <b>59</b> ting.com.au n NSW 2560 ng.com.au
proceeding with the work. Use of all materials noted and specified are to be in accordance with manufacturers instructions, engineers details, councils requirements and all associated A.S. and N.C.C. requirements  DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS  FOR APPROVAL	ELEVATIONS 1-4 AND SECTION 5	1:100, 1:20	Drawn: SD Drawing Number: A1.04	Date: 01.10.20 Issue:

FOR APPROVAL















CAMERON AVENUE STREETSCAPE ELEVATION


	E-ISSUED FOR COUNCIL D.A. APPROVAL E-ISSUED FOR COUNCIL D.A. APPROVAL	SD SD 03.08.21 SD SD 18.06.21			EAT FTING SE	ERVICES
A IS	Revision Description  This work remains the copyright of Cr Services and cannot be reproduced in written consent. The contractor shall vand levels on site and report any disc proceeding with the work. Use of all reports.	any form without verify all dimensions	New Child Care Centre at 1 Cameron Avenue West Pennant Hills NSW 2125	Email: s P.O.Box Web:	Shane Duc 0418 437 75 hane@creativedrafti 133N Campbelltown www.creativedrafting ABN: 16 132 084 08	k 59 ng.com.au NSW 2560 g.com.au
	proceeding with the work. Use of all r and specified are to be in accordance instructions, engineers details, councils all associated A.S. and N.C.C. requiren	e with manufacturers requirements and	Title COLOURED SCHEME ELEVATIONS	Scale: 1:75	Drawn: SD	Date: 01.10.20
	DO NOT SCALE DRAWINGS, USE FIGURED FOR APPROVAL			Job Number: <b>201350</b>	Drawing Number:	Issue:






Childcare Developments
Group Pty Ltd PEATIVE SERVICES C RE-ISSUED FOR COUNCIL D.A. APPROVAL SD SD 03.08.2 B RE-ISSUED FOR COUNCIL D.A. APPROVAL | SD SD 18.06.2 Designing What You Want ISSUED FOR COUNCIL D.A. APPROVAL SD SD 20.01.21 Shane Duck
0418 437 759
Email: shane@creativedrafting.com.au
P.O.Box 133N Campbelltown NSW 2560
Web: www.creativedrafting.com.au
ABN: 16 132 084 096 New Child Care Centre By. App. Date Rev. Revision Description This work remains the copyright of Creative Drafting Services and cannot be reproduced in any form without written consent. The contractor shall verify all dimensions and levels on site and report any discrepancies before proceeding with the work. Use of all materials noted and specified are to be in accordance with manufacturers instructions, engineers details, councils requirements and all associated A.S. and N.C.C. requirements at 1 Cameron Avenue West Pennant Hills NSW 2125 COLOURED UNENCUMBERED AREA LAYOUTS 1:100 SD 01.10.20 Drawing Number: ob Number: DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS 201350 A1.06 FOR APPROVAL


Δ1



C RE-ISSUED FOR COUNCIL D.A. APPROVAL B RE-ISSUED FOR COUNCIL D.A. APPROVAL	SD SD 03.08.21 SD SD 18.06.21				ERVICES
ISSUED FOR COUNCIL D.A. APPROVAL  Revision Description  By. App. Date  This work remains the copyright of Creative Drafting Services and cannot be reproduced in any form without written consent. The contractor shall verify all dimensions and levels on site and report any discrepancies before proceeding with the work. Use of all materials noted		New Child Care Centre at 1 Cameron Avenue West Pennant Hills NSW 2125	Shane Duck 0418 437 759 Email: shane@creativedrafting.com.au P.O.Box 133N Campbelltown NSW 256 Web: www.creativedrafting.com.au ABN: 16 132 084 096		k 59 ing.com.au n NSW 2560 g.com.au
proceeding with the work. Use of all mand specified are to be in accordance instructions, engineers details, councils all associated A.S. and N.C.C. requirem	with manufacturers requirements and	SITE CUT AND FILL PLAN	Scale: 1:100	Drawn: SD	Date: 01.10.20
DO NOT SCALE DRAWINGS, USE FIGURED			Job Number:	Drawing Number:	Issue:
FOR APPROVAL			201350	A1.07	C

 $\int_{-A1}$ 





CARPARK BASEMENT LAYOUT

GROUND FLOOR LAYOUT

# EMERGENCY EVACUATION PLAN

### REMEMBER

Test all doors before opening them for heat and smoke, and remember to close asll doors/windows as you evacuate (if safe to do so)

Stay low to avoid the effects of smoke, use a cloth over your

mouth (soak in water if available)
GET OUT FAST, once you have spotted smoke or flames, alert others and evacuate the building via the closest safe exit route DO NOT re—enter the building once out. Stay out and await for assistance from the responding Emergency Services

# IN CASE OF FIRE (Remember RACE...!)

- R EMOVE PEOPLE FROM DANGER AREA if safe to do so. Do not obstruct Exits and Exit Route
- A LERT PEOPLE NEARBY AND RAISE AN ALARM Dail 00 and ask for Fire Brigade
- C ONFINE FIRE AND SMOKE close all doors behind you and where practicable windows
- E XTINGUISH OR CONTAIN FIRE/EVACUATE
  If trained and if safe to do so, operate appropriate
  extinguishers/fire hose reels

	C RE-ISSUED FOR COUNCIL D.A. APPROVAL B RE-ISSUED FOR COUNCIL D.A. APPROVAL	SD SD	03.08.21			EAT AFTING SE	ERVICES
	A ISSUED FOR COUNCIL D.A. APPROVAL ev. Revision Description	Ву. Арр	L	New Child Care Centre		Shane Duc 0418 437 75	k
	This work remains the copyright of Cre Services and cannot be reproduced in written consent. The contractor shall v and levels on site and report any disc	any forn erify all ( repancies	n without dimensions s before	at 1 Cameron Avenue West Pennant Hills NSW 2125	Email: s P.O.Box Web:	hane@creativedrafti 133N Campbelltown www.creativedrafting ABN: 16 132 084 09	a.com.au
	proceeding with the work. Use of all n and specified are to be in accordance instructions, engineers details, councils all associated A.S. and N.C.C. requirem	with mo	inufacturers	EMERGENCY EVACUATION PLAN	Scale: NTS	Drawn:	Date: 01.10.20
F	DO NOT SCALE DRAWINGS, USE FIGURED	DIMENS	IONS		Job Number: <b>201350</b>	Drawing Number: F1.00	Issue:
	FOR APPROVAL				20.000	1.00	