
Proposed New Dwelling

99 Copeland Rd, Beecroft



SITE AREA 903m² PROPOSED GFA 428.63m² ALLOWABLE GFA 430m²

GFA Calculations

PATIO 7.80 **GROUND FLOOR AREA** 217.44 173.26 FIRST FLOOR AREA **AFRESCO** 30.13 428.63 m²

SITE COVERAGE

GARAGE 48.75 GROUND FLOOR AREA 273.65 m²

ALFRESCO 30.14 **GARAGE** 48.75 221.53 **GROUND FLOOR AREA** PATIO 6.65 186.57 FIRST FLOOR AREA

493.64 m²

DESIGNERS WORK HEALTH AND SAFETY STATEMENT

1. FALLS, SLIPS, TRIPS

a) WORKING AT HEIGH DURING CONSTRUCTION

Wherever possible, components for this building should be prefabricated off-site or at ground level to

minimise the risk of workers falling more than two metres. However, construction of this building will require workers to be working at heights where a fall in excess of two metres is possible and injury is likely to result from such a fall. The builder should provide a suitable barrier wherever a person is required to work in a situation where falling more than two metres is a possibility. DURING OPERATION OR MAINTENANCE

For houses or other low-rise buildings where affolding is appropriate:

Cleaning and maintenance of windows, walls, roof or other components of this building will require persons to be situated where a fall from a height in excess of two metres is possible. Where this type of activity is required, scaffolding, fall barriers or Personal Protective Equipment (PPE) should be used in accordance with relevant codes of practise, regulations or legislation

For non-residential only - omit if not appropriate

Anchorage points for scaffold or fall arrest have been included in the design for use by maintenance workers. Any persons engaged to work on the building after completion of construction work should

be informed about the anchorage points.

FLOOR FINISHES

ANCHORAGE POINTS

Finishes have not been specified by the designer, but should be selected to minimise the risk of floors and paved areas becoming slippery when wet or when walked on with wet shoes/feet.

As the designer has not been involved in the selection of surface finishes, the owner is responsible for the selection of surface finishes in the pedestrian trafficable areas of this building. Surfaces should be selected in accordance with AS HB 197:1999 and AS/NZ 4589:2004.

STEPS, LOOSE OBJECTS AND UNEVEN SURFACES

Due to design restrictions for this building, steps and/or ramps are included in the building which may be a hazard to workers carrying objects or otherwise occupied. Steps should be clearly marked with both visual and tactile warnings during construction, maintenance, demolition and at all times when

Building owners and occupiers should monitor the pedestrian access ways and in particular access to areas where maintenance is routinely carried out to ensure that surfaces have not moved or cracked so that they become uneven and present a trip hazard. Spills, loose material, stray objects or any other matter that may cause a slip or trip hazard should be cleaned or removed from access ways Contractors should be required to maintain a tidy work site during construction, maintenance or

demolition to reduce the risk of trips and falls in the workplace. Materials for construction or maintenance should be stored in designated areas away from access ways and work areas.

FALLING OBJECTS

LOOSE MATERIAL AND SMALL OBJECTS

Construction, maintenance or demolition work on or around this building is likely to involve persons working above ground level or above floor levels. Where this occurs one or more of the following measures should be taken to avoid objects falling from the area where the work is being carried out onto persons below.

- 1. Prevent or resist access to areas below where the work is being carried out.
- 2. Provide toeboards to scaffolding or work platforms.
- 3. Provide protective structure below the work area 4. Ensure that all persons below the work area have protective equipment

During construction, renovations or demolition of this building, parts of the structure including fabricated steel work, heavy panels and many other components will remain standing prior to or after supporting parts are in place. Contractors should ensure that temporary bracing or other required support is in place at all times where collapse, which may injure persons in the area, is a possibility. Mechanical lifting of materials and components during construction, maintenance or demolition presents a risk of falling objects. Contractors should ensure that appropriate lifting devices are used, that loads are properly secured and the access to areas below the load is prevented or resisted.

TRAFFIC MANAGEMENT

For building on a major road, narrow road or steeply sloping road:

Parking of vehicles or loading/unloading of vehicles on this roadway may cause a traffic hazard. During construction, maintenance or demolition of this building designated parking for workers and loading areas should be provided. Trained traffic management personnel should be responsible for the subdivision of these areas.

For building where onsite loading/unloading is restricted:

Construction of this building will require loading and unloading of materials on the roadway. Deliveries should be well planned to avoid congestion of loading areas and trained traffic management personnel should be used to supervise loading/unloading areas.

Busy construction and demolition sites present a risk of collision where other traffic is moving within the site. A traffic management plan supervised by trained traffic management personnel should be adopted for the work site.

SERVICES

GENERAL

Rupture of services during excavation or other activity creates a variety of risks including release of hazardous material. Existing services are located on or around this site. Where known, these are identified on the plans but the exact location and extent of services may vary from that indicated. Services should be located using appropriate services (such as Dial Before You Dig), appropriate excavation practise should be used and, where necessary, specialist contractors should be used. Locations with underground power:

Underground power lines MAY be located in or around this site. All underground power lines must be disconnected or carefully located and adequate warning signs used prior to any construction, maintenance or demolition commencing.

Locations with overhead power lines:

Overhead power lines MAY be near or on this site. These pose a risk of electrocution if struck or approached by lifting devises or other plant and persons working above ground level. Where there is a danger of this occurring, power lines should be, where practical, disconnected or relocated. Where this is not practical adequate warning in the form of bright coloured tape or signage should be used or a protective barrier provided.

MANUAL TASK

Components within this design with a mass in excess of 25 kilograms should be lifted by two or more workers or by mechanical lifting devise. Where this is not practical, suppliers or fabricators should be required to limit the component mass.

All material packaging, building and maintenance components should clearly show the total mass of packages and where practical all items should be stored on site in a way which minimises bending before lifting. Advice should be provided on safe lifting methods in all areas where lifting may occur. Construction, maintenance and demolition of this building will require the use of portable tools and equipment. This should be fully maintained in accordance with manufacturers specifications and not used where faulty or (in the case of electrical equipment) not carrying and electrical safety tag. All safety guards should be regularly checked and Personal Protective Equipment should be used in accordance with manufacturer's specifications.

HAZARDOUS SUBSTANCES

For alterations to a building constructed prior to 1990:

If this existing building was constructed prior to: 1990 - It therefore may contain asbestos

1996 - It therefore is likely to contain asbestos

either in cladding material or in fire retardant insulation material. In either case, the builder should check and, if necessary, take appropriate action before demolition, cutting, sanding, drilling or

POWDERED MATERIALS

Many materials used in the construction of this building can cause harm if inhaled in powdered form Persons working on or in the building during construction, operational maintenance or demolition should ensure good ventilation and wear Personal Protective Equipment including protections against inhalation while using powdered material or when sanding, drilling, cutting or otherwise disturbing or creating powdered material.

TREATED TIMBER

The design of this building may include provision for the inclusion of treated timber within the structure. Dust or fumes from this material can be harmful. Persons working on or in the building during construction, operational, maintenance or demolition should ensure good ventilation and wear Personal Protective Equipment including protections against inhalation of harmful material when sanding, drilling, cutting or using treated timber in any way that may cause harmful material to be released. Do not burn treated timber

VOLATILE ORGANIC COMPOUNDS

Many types of glue, solvents, spray packs, paints, varnishes and some cleaning materials and disinfectants have dangerous emissions. Areas where these are used should be kept well ventilated while the material is being used and for a period after installation. Personal Protective Equipment may also be required. The manufacturers recommendations for use must be carefully considered at all

SYNTHETIC MINERAL FIBRE

Fibrealass, Rockwool, ceramic and material used for either thermal or sound insulation may contain synthetic mineral which may be harmful if inhaled or if it comes in contact with the skin, eyes or other sensitive parts of the body. Personal Protective Equipment including protections against inhalation of harmful material should be used when installing, removing or working near bulk insulation material.

This building may contain timber floors which have an applied finish. Areas where finishes are applied should be kept well ventilated during sanding and application and for a period after installation Personal Protective Equipment may also be required. The manufactures recommendations for use must be carefully considered at all times

7. CONFINED SPACES

installation of items within excavations. Where practical, installation should be carried out using methods which do not require workers to enter the excavation. Where this is not practical, adequate support for the excavated areas should be provided to prevent collapse. Warning signs and barriers to

Construction of this building and some maintenance on the building will require excavation and

TIMBER FLOORS

prevent accidental or unauthorised access to all excavations should be provided ENCLOSED SPACES For buildings with enclosed spaces where maintenance or other access may be required: Enclosed spaces within this building may present a risk to persons entering for construction, maintenance or any other purpose. The designer requires warning signs and barriers to unauthorised

areas. These should be maintained throughout the life of the building. Where workers are required to enter enclosed spaces, air testing equipment and Personal Protective Equipment should be provided SMALL SPACES

For building with small spaces where maintenance may be required: Some small spaces within this building may require access by construction or maintenance workers

The designer requires warning signs and barriers to unauthorised areas. These should be maintained throughout the life of the building. Where workers are required to enter small spaces they should be scheduled so that access is for short periods. Manual lifting and other manual activity should be restricted in small space

8. PUBLIC ACCESS

Public access to construction and demolition sites and to areas under maintenance causes risk to workers and public. Warning signs and secure barriers to unauthorised access should be provided Where electrical installations, excavations, plant or loose materials are present they should be secured when not fully supervised,

OPERATIONAL USE OF BUILDINGS RESIDENTIAL BUILDINGS

This building has been designed as a residential building. If ,at a later date, it is used or intended to be used as a workplace, the provisions of the Work Health and Safety Act 2011 or subsequent replacement Act should be applied to the new use

For non-residential buildings where the end-use has not been identified

This building has been designed to requirements of the classification identified on the drawings. The specific use of the building is not known at the time of the design and a further assessment of the orkplace health and safety issues should be undertaken at the time of fit out for the end-user. For non-residential buildings where the end-use is known:

This building has been designed to the specific use as identified on the drawings. Where a change of use occurs at a later date a further assessment of the workplace health and safety issues should be undertaken

OTHER HIGH RISK ACTIVITY

All electrical work should be carried out in accordance with Code of Practice; Managina Electrical Risks at Workplace, AS/NZ 3012 and all licensing requirements.

All work using Plant should be carried out in accordance with Code of Practice: Managing Risks of Plant at the Workplace.

Hearing Loss at Work.

Due to history of serious incidents it is recommended that particular care be exercised when undertaking work involving steel construction and concrete placements. All the above applies

NOTE: THESE NOTES MUST BE READ AND UNDERSTOOD BY ALL INVOLVED IN THE PROJECT.

THIS INCLUDES (but is not excluded to): THE OWNER, BUILDER, SUB-CONTRACTORS, CONSULTANTS, RENOVATORS, MAINTAINERS AND DEMOLISHERS.

1. RENDERED BRICK VENEER TO DWELLING

a. QOINING AND CORBELLING WHERE INDICATED ON PLANS

2. TILED ROOF WITH COLORBOND FLAT ROOF TO MANSARD SECTION 3. PAINTED TIMBER DOORS 4. WINDOWS AS PER BASIX

CONSTRUCTION NOTES: 1. TIMBER FRAMING TO A\$1685-2010

2. CONCRETE FOOTING TO AS2870-2011 3. PLUMBING TO A\$3500-2003

4. TERMITE CONTROL TO AS2049

5. DOORS AND WINDOWS TO AS2047 6. STEEL BEAMS WHERE REQUIRED TO ENGINEERING SPECIFICATIONS



No. 1672 - 14

05

06

11

13

FYFFE DESIGN

ROOF PLAN + WINDOW & DOOR SCHEDULES

WEST, EAST & NORTH ELEVATIONS

SOUTH ELEVATION & SECTIONS

EXTERNAL COLOURSCHEME

GROUND FLOOR PLAN-1

GROUND FLOOR PLAN-2

FIRST FLOOR PLAN-1

FIRST FLOOR PLAN-2

SHADOW DIAGRAMS

3D - BUILDING HEIGHT

DATE	AMENDMENTS	REV	ADI
6/09/2021	WORKING DRAWING	01	99
21/09/2021	CLIENT AMENDMENTS	02	[. /
25/10/2021	BASIX REQ'TS ADDED	03	LC
25/11/2021	EXTERNAL WALLAMENDED	04	
26/11/2021	EXTERNAL WALLAMENDMENTS	05	CLI
21/02/2022	DA CONDITION ITEM 6&8	06	C
10/03/2022	COUNCIL EMAIL	07	

ADDRESS	DRAWING TITLE	DRAWING STATUS			
99 Copeland Rd, Beecroft Lot 12 DP444486	COVER PAGE	Wor	king Draw	ing/	
LOI 12 DF444400		DRAWN BY	DATE	SCALE	
CLIENT	PROJECT	XW	10/03/2022	@	A2
Connie Da Silva	NEW DWELLING	DWG NO	JOB NUMBER	ISSUE	
		01	21061	07	


	E	BASIX COMMITM *REFER TO APPROVED BA					
WATER							
	All Shower Heads	All toilet flushing system	s All kitchen taps	All bathroom taps			
Fixtures	3 star (> 7.5 but <= 9 L/min)	4 star	4 star	5 star			
	Individual rainwater tank	to collect run off from at le	ast 200 m ² of roof area - Ta	nk size min 3000 litres			
Alternative	The applicant must connect the rainwater tank to:						
water source	Landscape connection	Toilet connection	Laundry connection	Pool top up			
	Yes	Yes	-	-			
	Hot water system: Gas Instantaneous with a performance of 5 stars						
	Bathroom ventilation system: Individual fan, ducted to façade or roof; manual switch on/off						
	Kitchen ventilation system: Individual fan, ducted to façade or roof; manual switch on/off						
ENERGY	Laundry ventilation system: Natural ventilation only						
ENERGY	Cooling system: 3 Phase air-conditioning EER 3.0 - 3.5 in at least 1 living/bed area						
	Heating system: 3 Phase air-conditioning EER 3.0 - 3.5 in at least 1 living/bed area						
	Natural lighting: As per BASIX						
	Artificial lighting: As per BASIX						
	Alternative energy: Must install a photovoltaic system with the capacity to generate at least 6.5 peak						
	kilowatts of electricity.						
	Must install a gas cooktop	and electric oven.					
	Must install fixed outdoor	r clothes drying line as part	of the development.				

	NatHERS summary for 99 Copeland Roo	ad Beecroft 2119			
Building Elements	Material	Detail			
External walls	Brick veneer – light colour	R2.5 bulk insulation			
Internal walls	Plasterboard on studs	R2.0 bulk insulations to walls adjacent to powder,			
		bathroom & laundry			
Ceilings	Plasterboard	R4.0 bulk insulation to ceilings with roof above			
Floors	Concrete – ground floor	Waffle pod			
	Timber – first floor				
Roof	Roof Tiles – Dark Colour	Foil (sisalation) to underside of roof			
	Solar Absorptance > 0.70				
Doors/Windows - W01, W02,	Sliding windows/doors, double hung & fixed				
D01 sidelights, D02, D03, W10,	windows:	U value 5.40 or less and SHGC 0.58 +/- 10%			
W11, W14, W15, W16, W17,	Aluminium frame, single glazed low e or similar				
W18, W19, W22, W24, W27,					
W28, W29, W33, W34					
Doors/Windows - D01, W07,	Awning windows & hinged doors:				
W08, W09, Hall door, W20, W21,	Aluminium frame, single glazed low e or similar	U value 5.40 or less and SHGC 0.49 +/ 10%			
W25, W26, W35, W36					
Doors/Windows - D04 sidelight,	Sliding windows, Fixed windows:				
W12, W23, W31, W32	Aluminium single glazed	U value 6.70 or less and SHGC 0.70 +/- 10%			
Doors/Windows – D04	Hinged door:				
	Aluminium single glazed	U value 6.70 or less and SHGC 0.57 +/ 10%			
Ceiling fans	1200mm ceiling fans to lounge, sitting & first floo	r bedrooms			
<u>Lighting</u> : This dwelling has been rated	d with non-ventilated LED downlights as per NatHERS c	ertificate.			
<u>Note</u> : Insulation specified must be ins	talled in accordance with Part 3.12.1.1 of the BCA.				
<u>Note</u> : In some climate zones, insulation should be installed with due consideration of condensation and associated interaction with adjoining building					
materials.					
<u>Note</u> : Self-closing damper to bathroom	m & ensuite exhaust fans.				






					1			
DATE	AMENDMENTS	REV	ADDRESS	DRAWING TITLE	DRAWING STATUS			
6/09/2021	WORKING DRAWING	01	99 Copeland Rd, Beecroft	BASIX COMMITMENTS	Wa	rkina Drav	wina	
21/09/2021	CLIENT AMENDMENTS	02	•	BASIA COMMINITIMENTS	Working Drawing			
25/10/2021	BASIX REQ'TS ADDED	03	Lot 12 DP444486		DRAWN BY	DATE	SCALE	
25/11/2021	EXTERNAL WALLAMENDED	04	CHENT		-			
26/11/2021	EXTERNAL WALL AMENDMENTS	05	CLIENT	PROJECT	XW	10/03/2022		@ A
21/02/2022	DA CONDITION ITEM 6&8	06	Connie Da Silva	NEW DWELLING	DWG NO	JOB NUMBER	ISSUE	
10/03/2022	COUNCIL EMAIL	07						
					02	21061	07	




residential and building design w. www.fyffedesign.com.au | e. info@fyffedesign.com.au | p. 02 9634 3600 5G/ 256 New Line Road Dural

No. 1672 - 14




			7.22.1.200	BR/ (VIII O III EE	DIO (111110 01) (100		
6/09/2021	WORKING DRAWING	01	99 Copeland Rd, Beecroft	SITE PLAN & SITE ANALYSIS	\\/_	rkina Drav	ina
21/09/2021	CLIENT AMENDMENTS	02	•	SHE FLAN & SHE ANALISIS	VVO	rking Drav	viiig
25/10/2021	BASIX REQ'TS ADDED	03	Lot 12 DP444486		DRAWN BY	DATE	SCALE
25/11/2021	EXTERNAL WALL AMENDED	04	OUTAIT		-		
26/11/2021	EXTERNAL WALLAMENDMENTS	05	CLIENT	PROJECT	XW	10/03/2022	1:200, 1:1
21/02/2022	DA CONDITION ITEM 6&8	06	Connie Da Silva	NEW DWELLING	DWG NO	JOB NUMBER	ISSUE
10/03/2022	COUNCIL EMAIL	07					_
					03	21061	07






FYFFE DESIGN

residential and building design
w. www.fyffedesign.com.au | e. info@fyffedesign.com.au | p. 02 9634 3600
5G/ 256 New Line Road Dural



DATE	AMENDMENTS	REV	ADDRESS
6/09/2021	WORKING DRAWING	01	99 Copeland Rd, Beecroft
21/09/2021	CLIENT AMENDMENTS	02	·
25/10/2021	BASIX REQ'TS ADDED	03	Lot 12 DP444486
25/11/2021	EXTERNAL WALLAMENDED	04	CLIENT
26/11/2021	EXTERNAL WALLAMENDMENTS	05	
21/02/2022	DA CONDITION ITEM 6&8	06	Connie Da Silva
10/03/2022	COUNCIL EMAIL	07	


DRAWING TITLE	DRAWING STATU	JS				
GROUND FLOOR PLAN-1	Working Drawing					
PROJECT	DRAWN BY XW	DATE 10/03/2022	SCALE 1:100 @ A2			
NEW DWELLING	DWG NO	JOB NUMBER	ISSUE			
	04	21061	07			






FYFFE DESIGN

residential and building design
w. www.fyffedesign.com.au | e. info@fyffedesign.com.au | p. 02 9634 3600
5G/ 256 New Line Road Dural




DATE	AMENDMENTS	REV	ADDRESS	DRAWING TITLE	DRAWING STATUS		
21/02/2022	DA CONDITION ITEM 6&8	06	99 Copeland Rd, Beecroft	GROUND FLOOR PLAN-2	Wo	rkina Drav	vina
10/03/2022	COUNCIL EMAIL	07	•	GROUND I LOOK I LAIN-2	Working Drawing		
			Lot 12 DP444486		DRAWN BY	DATE	SCALE
			CLIENT	PROJECT	XW	10/03/2022	1:100 _{@ A2}
			Connie Da Silva	NEW DWELLING	DWG NO	JOB NUMBER	ISSUE
					05	21061	07





FYFFE DESIGN


residential and building design
w. www.fyffedesign.com.au | e. info@fyffedesign.com.au | p. 02 9634 3600
5G/ 256 New Line Road Dural



DATE	AMENDMENTS	REV	ADD
6/09/2021	WORKING DRAWING	01	99
21/09/2021	CLIENT AMENDMENTS	02	. / /
25/10/2021	BASIX REQ'TS ADDED	03	LO.
25/11/2021	EXTERNAL WALLAMENDED	04	CLIEN
26/11/2021	EXTERNAL WALLAMENDMENTS	05	CLIEI
21/02/2022	DA CONDITION ITEM 6&8	06	Со
10/03/2022	COUNCIL EMAIL	07	

	I I	
DDRESS	DRAWING TITLE	DRAWING STATUS
P9 Copeland Rd, Beecroft Lot 12 DP444486	FIRST FLOOR PLAN-1	Wo
CLIENT	PROJECT	DRAWN BY XW
Connie Da Silva	NEW DWELLING	DWG NO


N-1	Working Drawing				
	DRAWN BY	DATE 10/03/2022	SCALE 1:100		
	DWG NO	JOB NUMBER	ISSUE		
	06	21061	07		






FYFFE DESIGN


residential and building design
w. www.fyffedesign.com.au | e. info@fyffedesign.com.au | p. 02 9634 3600
5G/ 256 New Line Road Dural



DATE	AMENDMENTS	REV	ADDRESS	DRAWING TITLE	DRAWING STATUS	1		
21/02/2022	DA CONDITION ITEM 6&8	06	99 Copeland Rd, Beecroft	FIRST FLOOR PLAN-2	Working Drawing			
10/03/2022	COUNCIL EMAIL	07		TIKST TLOOK FLAIN-2				
			Lot 12 DP444486		DRAWN BY	DATE	SCALE	
			CLIENT	PROJECT	XW	10/03/2022	1:100 _{@ A2}	
			Connie Da Silva	NEW DWELLING	DWG NO	JOB NUMBER	ISSUE	
					07	21061	07	


ROOF AREA								
Level	Pitch	Area						
GROUND FLOOR FCL	3.00°	6.08						
GROUND FLOOR FCL	20.00°	149.33						
FIRST FLOOR FCL	3.00°	48.55						
FIRST FLOOR FCL	20.00°	167.20						
		371.16 m ²						












DATE	AMENDMENTS	REV	ADI
6/09/2021	WORKING DRAWING	01	99
21/09/2021	CLIENT AMENDMENTS	02	[. '
25/10/2021	BASIX REQ'TS ADDED	03	LC
25/11/2021	EXTERNAL WALLAMENDED	04	
26/11/2021	EXTERNAL WALLAMENDMENTS	05	CLIE
21/02/2022	DA CONDITION ITEM 6&8	06	C
10/03/2022	COUNCIL EMAIL	07	
			T


ADDRESS	DRAWING TITLE	
'	ROOF PLAN + WINDOW & DOOR SCHEDULES	_
CLIENT	PROJECT	
Connie Da Silva	NEW DWELLING	

	DRAWING STATUS		
R	Woı	rking Draw	/ing
	DRAWN BY	DATE 10/03/2022	SCALE 1:100, 1:1 _{@ A2}
	DWG NO	JOB NUMBER	ISSUE
	08	21061	07



EAST (FRONT) ELEVATION







NORTH (RIGHT) ELEVATION



FYFFE DESIGN

DATE	AMENDMENTS	REV	ADDRESS	DRAWING TITLE	DRAWING STATUS		
20/08/2021	DESIGN DEVELOPMENT	Α	99 Copeland Rd, Beecroft	WEST, EAST & NORTH ELEVATIONS	Wo	rking Drav	vina
6/09/2021	WORKING DRAWING	01	•	VVLSI, LASI & NORTH LLL VATIONS	***	ikilig bluv	viiig
21/09/2021	CLIENT AMENDMENTS	02	Lot 12 DP444486		DRAWN BY	DATE	SCALE
25/10/2021	BASIX REQ'TS ADDED	03	- CLIENT	DDO IECT	XW	10/03/2022	1:100
25/11/2021	EXTERNAL WALLAMENDED	04		PROJECT		10/03/2022	1.100 @ A2
26/11/2021	EXTERNAL WALLAMENDMENTS	05	Connie Da Silva	NEW DWELLING	DWG NO	JOB NUMBER	ISSUE
21/02/2022	DA CONDITION ITEM 6&8	06				010/1	
10/03/2022	COUNCIL EMAIL	07			09	21061	07





selected roof tiles 8.5m max. building height @ 20° roof pitch timber roof trusses to ROOF ▼ +141,576 manufacturers specs_ and to timber codes FIRST FLOOR FCL +140,320 -450mm eave 450mm timber roof trusses to eave -manufacturers specs w.i.r hallway master bedroom and to timber codes FIRST FLOOR +137,670 selected roof tiles @ 20° roof pitch GROUND FLOOR FCL flooring to_____ 450mm eave builders specs guest bedroom GROUND FLOOR +134,600 A . A . A . A . A . A . A . .

r.c slab on ground with moisture barrier to engineers specs

SECTION B-B


SECTION A-A

5A	
	smoke alarm




FYFFE DESIGN

DATE	AMENDMENTS	REV	ADDRESS	DRAWING TITLE	DRAWING STATUS		
20/08/2021	DESIGN DEVELOPMENT	Α	99 Copeland Rd, Beecroft	SOUTH ELEVATION & SECTIONS	Wa	rking Draw	ina
6/09/2021	WORKING DRAWING	01	•	SOUTH ELEVATION & SECTIONS	VVOI	King bluw	virig
21/09/2021	CLIENT AMENDMENTS	02	Lot 12 DP444486		DRAWN BY	DATE	SCALE
25/10/2021	BASIX REQ'TS ADDED	03	CUENT	250 1507	1		
25/11/2021	EXTERNAL WALLAMENDED	04	CLIENT	PROJECT	XW	10/03/2022	1:100 @ A2
26/11/2021	EXTERNAL WALL AMENDMENTS	05	Connie Da Silva	NEW DWELLING	DWG NO	JOB NUMBER	ISSUE
21/02/2022	DA CONDITION ITEM 6&8	06					
10/03/2022	COUNCIL EMAIL	07			10	21061	07






FYFFE DESIGN



DATE	AMENDMENTS	REV	ADDRESS	DRAWING TITLE	DRAWING STATUS			
6/09/2021	WORKING DRAWING	01	99 Copeland Rd, Beecroft	SHADOW DIAGRAMS	Wa	rkina Draw	ina	
21/09/2021	CLIENT AMENDMENTS	02	•	STADOW DIAGRAMS	Working Drawing			
25/10/2021	BASIX REQ'TS ADDED	03	Lot 12 DP444486		DRAWN BY	DATE	SCALE	
25/11/2021	EXTERNAL WALL AMENDED	04	CHENT	DDO ISOT	XW	10/03/2022		
26/11/2021	EXTERNAL WALLAMENDMENTS	05	CLIENT	PROJECT	X V V	10/03/2022	1:250	
21/02/2022	DA CONDITION ITEM 6&8	06	Connie Da Silva	NEW DWELLING	DWG NO	JOB NUMBER	ISSUE	
10/03/2022	COUNCIL EMAIL	07						
					11	21061	07	



EXTERNAL FINISHES







5G/ 256 New Line Road Dural

DATE	AMENDMENTS	REV	EV ADDRESS DRAWING TITLE DRAWING STATUS						
21/02/2022	DA CONDITION ITEM 6&8	06	99 Copeland Rd, Beecroft	EXTERNAL COLOURSCHEME	\\/	Working Drawing			
10/03/2022	COUNCIL EMAIL	07	•	LATERNAL COLOURSCHEME	Working Drawing				
			Lot 12 DP444486		DRAWN BY	DATE	SCALE		
			CLIENT	PROJECT	XW	10/03/2022	1:1, 1:1.06		
			Connie Da Silva	NEW DWELLING	DWG NO	JOB NUMBER	ISSUE		
					12	21061	07		










FYFFE DESIGN
residential and building design

w. www.fyffedesign.com.au | e. info@fyffedesign.com.au | p. 02 9634 3600 5G/ 256 New Line Road Dural


DATE	AMENDMENTS	REV	ADDRESS	DRAWING TITLE	DRAWING STATUS			
25/11/2021	EXTERNAL WALLAMENDED	04	99 Copeland Rd, Beecroft	3D - BUILDING HEIGHT	Wo	rkina Draw	vina	
26/11/2021	EXTERNAL WALLAMENDMENTS	05	•	3D - BOILDING FILIGITI	Working Drawing			
21/02/2022	DA CONDITION ITEM 6&8	06	Lot 12 DP444486		DRAWN BY	DATE	SCALE	
10/03/2022	COUNCIL EMAIL	07	- CLIENT	DDO IFCT	XW	10/03/2022		
				PROJECT		10/03/2022	1:142.86 _{@ A2}	
			Connie Da Silva	NEW DWELLING	DWG NO	JOB NUMBER	ISSUE	
					1.0	01071	0.7	
					13	21061	07	








SITE PLAN







FYFFE DESIGN



DATE	AMENDMENTS	REV
6/09/2021	WORKING DRAWING	01
21/09/2021	CLIENT AMENDMENTS	02
25/10/2021	BASIX REQ'TS ADDED	03
25/11/2021	EXTERNAL WALLAMENDED	04
26/11/2021	EXTERNAL WALLAMENDMENTS	05
21/02/2022	DA CONDITION ITEM 6&8	06
10/03/2022	COUNCIL EMAIL	07

ADDRESS	DRAWING TITLE	DRAWING STATUS		
99 Copeland Rd, Beecroft Lot 12 DP444486	NOTIFICATION PLAN	Working Drawing		
		DRAWN BY	DATE	SCALE
CLIENT	PROJECT	XW	10/03/2022	1:500, 1:200 @ A3
Connie Da Silva	NEW DWELLING	DWG NO	JOB NUMBER	ISSUE
_			21061	07