

DESIGNERS WORK HEALTH AND SAFETY STATEMENT

1. FALLS, SLIPS, TRIPS

a) WORKING AT HEIGHT

DURING CONSTRUCTION

Wherever possible, components for this building should be prefabricated off-site or at ground level to minimise the risk of workers falling more than two metres. However, construction of this building will require workers to be working at heights where a fall in excess of two metres is possible and injury is likely to result from such a fall. The builder should provide a suitable barrier wherever a person is required to work in a situation where falling more than two metres is a possibility.

DURING OPERATION OR MAINTENANCE

For houses or other low-rise buildings where scaffolding is appropriate:

Cleaning and maintenance of windows, walls, roof or other components of this building will require persons to be situated where a fall from a height in excess of two metres is possible. Where this type of activity is required, scaffolding, fall barriers or Personal Protective Equipment (PPE) should be used in accordance with relevant codes of practice, regulations or legislation.

For non-residential only - omit if not appropriate

ANCHORAGE POINTS

Anchorage points for scaffold or fall arrest have been included in the design for use by maintenance workers. Any persons engaged to work on the building after completion of construction work should be informed about the anchorage points.

b) SLIPPERY OR UNEVEN FLOORS

FLOOR FINISHES

Finishes have not been specified by the designer, but should be selected to minimise the risk of floors and paved areas becoming slippery when wet or when walked on with wet shoes/feet.

FLOOR FINISHES BY OWNER

As the designer has not been involved in the selection of surface finishes, the owner is responsible for the selection of surface finishes in the pedestrian trafficable areas of this building. Surfaces should be selected in accordance with AS HB 1971:1999 and AS/NZ 4589:2004.

STEPS, LOOSE OBJECTS AND UNEVEN SURFACES

Due to design restrictions for this building, steps and/or ramps are included in the building which may be a hazard to workers carrying objects or otherwise occupied. Steps should be clearly marked with both visual and tactile warnings during construction, maintenance, demolition and at all times when the building operates as a workplace.

Building owners and occupiers should monitor the pedestrian access ways and in particular access to areas where maintenance is routinely carried out to ensure that surfaces have not moved or cracked so that they become uneven and present a trip hazard. Spills, loose material, stray objects or any other matter that may cause a slip or trip hazard should be cleared or removed from access ways.

Contractors should be required to maintain a tidy work site during construction, maintenance or demolition to reduce the risk of trips and falls in the workplace. Materials for construction or maintenance should be stored in designated areas away from access ways and work areas.

2. FALLING OBJECTS

LOOSE MATERIAL AND SMALL OBJECTS

Construction, maintenance or demolition work on or around this building is likely to involve persons working above ground level or above floor levels. Where this occurs one or more of the following measures should be taken to avoid objects falling from the area where the work is being carried out onto persons below:

1. Prevent or restrict access to areas below where the work is being carried out.
2. Provide toeboards to scaffolding or work platforms.
3. Provide protective structure below the work area.
4. Ensure that all persons below the work area have protective equipment (PPE).

BUILDING COMPONENTS

During construction, renovations or demolition of this building, parts of the structure including fabricated steel work, heavy panels and many other components will remain standing prior to or after supporting parts are in place. Contractors should ensure that temporary bracing or other required support is in place at all times where collapse, which may injure persons in the area, is a possibility. Mechanical lifting of materials and components during construction, maintenance or demolition presents a risk of falling objects. Contractors should ensure that appropriate lifting devices are used, that loads are properly secured and the access to areas below the load is prevented or restricted.

3. TRAFFIC MANAGEMENT

For building on a major road, narrow road or steeply sloping road:

Parking of vehicles or loading/unloading of vehicles on this roadway may cause a traffic hazard. During construction, maintenance or demolition of this building designated parking for workers and loading areas should be provided. Trained traffic management personnel should be responsible for the subdivision of these areas.

For building where onsite loading/unloading is restricted:

Construction of this building will require loading and unloading of materials on the roadway. Deliveries should be well planned to avoid congestion of loading areas and trained traffic management personnel should be used to supervise loading/unloading areas.

For all buildings:

Busy construction and demolition sites present a risk of collision where other traffic is moving within the site. A traffic management plan supervised by trained traffic management personnel should be adopted for the work site.

4. SERVICES

GENERAL

Rupture of services during excavation or other activity creates a variety of risks including release of hazardous material. Existing services are located on or around this site. Where known, these are identified on the plans but the exact location and extent of services may vary from that indicated. Services should be located using appropriate services (such as Dial Before You Dig), appropriate excavation practise should be used and, where necessary, specialist contractors should be used. Locations with underground power:

Underground power lines MAY be located in or around this site. All underground power lines must be disconnected or carefully located and adequate warning signs used prior to any construction, maintenance or demolition commencing.

Locations with overhead power lines:

Overhead power lines MAY be near or on this site. These pose a risk of electrocution if struck or approached by lifting devices or other plant and persons working above ground level. Where there is a danger of this occurring, power lines should be, where practical, disconnected or relocated. Where this is not practical adequate warning in the form of bright coloured tape or signage should be used or a protective barrier provided.

5. MANUAL TASK

Components within this design with a mass in excess of 25 kilograms should be lifted by two or more

workers or by mechanical lifting device. Where this is not practical, suppliers or fabricators should be required to limit the component mass.

All material packaging, building and maintenance components should clearly show the total mass of product. Components weighing more than them should be stored on site in a way which minimises bending before lifting. Advice should be provided on safe lifting methods in all areas where lifting may occur. Construction, maintenance and demolition of this building will require the use of portable tools and equipment. This should be fully maintained in accordance with manufacturers specifications and not used where faulty or (in the case of electrical equipment) not carrying and electrical safety tag. All safety guards should be regularly checked and Personal Protective Equipment should be used in accordance with manufacturer's specifications.

6. HAZARDOUS SUBSTANCES

ASBESTOS

For alterations to a building constructed prior to 1990:

If this existing building was constructed prior to:

1990 - It therefore may contain asbestos

1996 - It therefore is likely to contain asbestos

either in cladding material or in fire retardant insulation material. In either case, the builder should check and, if necessary, take appropriate action before demolition, cutting, sanding, drilling or otherwise disturbing the existing structure.

POWDERED MATERIALS

Many materials used in the construction of this building can cause harm if inhaled in powdered form. Persons working on or in the building during construction, operational maintenance or demolition should ensure good ventilation and wear Personal Protective Equipment including protections against inhalation while using powdered material or when sanding, drilling, cutting or using treated timber in any way that may cause harmful material to be released. Do not burn treated timber.

TREATED TIMBER

The timber of this building may include provision for the inclusion of treated timber within the structure. Dust or fumes from this material can be harmful. Persons working on or in the building during construction, operational, maintenance or demolition should ensure good ventilation and wear Personal Protective Equipment including protections against inhalation of harmful material when sanding, drilling, cutting or using treated timber in any way that may cause harmful material to be released. Do not burn treated timber.

VOLATILE ORGANIC COMPOUNDS

Many types of glue, solvents, spray paints, paints, varnishes and some cleaning materials and disinfectants have dangerous emissions. Areas where these are used should be kept well ventilated while the material is being used and for a period after installation. Personal Protective Equipment may also be required. The manufacturers recommendations for use must be carefully considered at all times.

SYNTHETIC MINERAL FIBRE

Fibreglass, Rockwool, ceramic and material used for either thermal or sound insulation may contain synthetic mineral which may be harmful if inhaled or if it comes in contact with the skin, eyes or other sensitive parts of the body. Personal Protective Equipment including protections against inhalation of harmful material should be used when installing, removing or working near bulk insulation material.

TIMBER FLOORS

This building may contain timber floors which have an applied finish. Areas where finishes are applied should be kept well ventilated during sanding and application and for a period after installation. Personal Protective Equipment may also be required. The manufacturers recommendations for use must be carefully considered at all times.

7. CONFINED SPACES

EXCAVATION

Construction of this building and some maintenance on the building will require excavation and installation of items within excavations. Where practical, installation should be carried out using methods which do not require workers to enter the excavation. Where this is not practical, adequate support for the excavated areas should be provided to prevent collapse. Warning signs and barriers to prevent accidental or unauthorised access to all excavations should be provided.

ENCLOSED SPACES

For buildings with enclosed spaces where maintenance or other access may be required:

Enclosed spaces within this building may present a risk to persons entering for construction, maintenance or any other purpose. The designer requires warning signs and barriers to unauthorised areas. These should be maintained throughout the life of the building. Where workers are required to enter enclosed spaces, air testing equipment and Personal Protective Equipment should be provided.

SMALL SPACES

For building with small spaces where maintenance may be required:

Some small spaces within this building may require access by construction or maintenance workers. The designer requires warning signs and barriers to unauthorised areas. These should be maintained throughout the life of the building. Where workers are required to enter small spaces they should be scheduled so that access is for short periods. Manual lifting and other manual activity should be restricted in small spaces.

8. PUBLIC ACCESS

Public access to construction and demolition sites and to areas under maintenance causes risk to workers and public. Warning signs and secure barriers to unauthorised access should be provided. Where electrical installations, excavations, plant or loose materials are present they should be secured when not fully supervised.

1. OPERATIONAL USE OF BUILDINGS RESIDENTIAL BUILDINGS

This building has been designed as a residential building. If, at a later date, it is used or intended to be used as a workplace, the provisions of the Work Health and Safety Act 2011 or subsequent replacement Act should be applied to the new use.

NON-RESIDENTIAL BUILDINGS - keep one of these notes as appropriate

For non-residential buildings where the end-use has not been identified:

This building has been designed to requirements of the classification identified on the drawings. The specific use of the building is not known at the time of the design and a further assessment of the workplace health and safety issues should be undertaken at the time of fit out for the end-user.

For non-residential buildings where the end-use is known:


This building has been designed to the specific use as identified on the drawings. Where a change of use occurs at a later date a further assessment of the workplace health and safety issues should be undertaken.

Due to history of serious incidents it is recommended that particular care be exercised when undertaking work involving steel construction and concrete placements. All the above applies.

Note: THESE NOTES MUST BE READ AND UNDERSTOOD BY ALL INVOLVED IN THE PROJECT.

THIS INCLUDES (but is not excluded to): THE OWNER, BUILDER, SUB-CONTRACTORS, CONSULTANTS, RENOVATORS, MAINTAINERS AND DEMOLISHERS.

PROPOSED CHILD CARE CENTRE AT 59 EDWARDS ROAD, WAHROONGA



		GENERAL NOTES	
05.05.22	Amendments to bin area	07 EG	All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c slab and footings, r.c and steel beams and columns, wind bracing to AS 1170 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.
06.12.21	Gross floor area indicated	06 EG	
02.12.21	Outdoor storage volume indicated	05 EG	
21.10.21	Changed roof material	04 EG	
31.08.21	External finishes amended, front fence and gate indicated	03 EG	
18.08.21	Minor amendments	02 EG	Do not scale off the drawing unless otherwise stated and use figures dimensions in preference. All dimensions are to be checked and verified by the CONTRACTOR on the site before the commencement of any work, all dimensions and levels are subject to final survey and set-out. Discrepancies to be reported to designer prior to commencement. No responsibility will be accepted by this firm for any variations in design, builders method of construction or materials used, deviation from specification without permission or accepted work practices resulting in inferior construction.
16.08.21	Preliminary DA plans	01 EG	
	date issue log	no. by	

FYFFE DESIGN
residential and building design
w. www.fyfedesign.com.au
e. info@fyfedesign.com.au
Unit 5G, 256 New Line Road, Dural 2158
Phone: 02 9634 3600

bda BUILDING DESIGNERS AUSTRALIA NSW
Accredited Member No. 1672-14

NEW CHILD CARE CENTRE
AT LOT X, NO. 59 EDWARDS ROAD,
WAHROONGA

FOR KNGS PROPERTIES PTY LTD
DP 413605 - HORNSBY COUNCIL

project no. 20009 date August 21


drawing title page no. 01/16

scale drawn amendment E.G. 07

Printed 05/05/22

SEDIMENTATION CONTROL NOTES

1. ALL EROSION AND SEDIMENTATION CONTROL MEASURES, INCLUDING REVEGETATION AND STORAGE OF SOIL AND TOPSOIL, SHALL BE IMPLEMENTED TO THE STANDARDS OF THE SOIL CONSERVATION OF NSW.
 2. ALL DRAINAGE WORKS SHALL BE CONSTRUCTED AROUND ALL INLET PITS CONSISTING OF 300mm WIDE X 300mm DEEP TRENCH.
 3. ALL SEDIMENT BASINS AND TRAPS SHALL BE CLEANED WHEN THE STRUCTURES ARE A MAXIMUM OF 60% FULL OF SOIL MATERIALS, INCLUDING THE MAINTAINENCE PERIOD.
 4. ALL DISTURBDE AREAS SHALL BE REVEGETATED AS SOON AS THE RELEVANT WORKS ARE COMPLETED.
 5. SOIL AND TOPSOIL STOCKPILES SHALL BE LOCATED AWAY FROM THE DRAINAGE LINES AND AREA WHERE WATER MAY CONCENTRATE.
 6. FILTER SHALL BE CONSTRUCTED BY STETCHING A FILTER FABRIC (PROPEX OR APPROVED EQUIVALENT) BETWEEN POST AT 3.0M CENTRES. FABRIC SHALL BE BURIED 150mm ALONG ITS LOWER EDGE.



AREAS	
SITE AREA:	1611.0 m ²
GROUND FLOOR:	547.60 m ²
BASEMENT FLOOR:	803.20 m ²
PATIOS:	246.90 m ²
TOTAL:	1597.70 m²
 GROSS FLOOR AREA	
BUILDING A+ BASEMENT :	505.10 m ²
BUILDING B:	159.70 m ²
TOTAL:	664.80 m²

PROPOSED SITE COVERAGE

BUILDING A GROUND FL. = 373.60 m²
BUILDING B GROUND FL.= 174.00 m²
BASEMENT LEVEL = 123.10 m² (as defined in HLEP)

TOTAL = 41.6% = 670.7

LANDSCAPED AREA


SITE PLAN NOTE
ALL SITEWORKS INDICATED ARE ILLUSTRATIVE ONLY

FINAL LEVELS MAY BE SUBJECT TO ADJUSTMENT,
SUCH ADJUSTMENTS WHILE COMPLYING WITH COUNCIL
REQUIREMENTS REMAIN AT THE DISCRETION OF THE BUILDER

RL REFERS TO STRUCTURAL LEVELS

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON THE SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR POSSIBLE LOCATION OR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATION OF ALL SERVICES

CONTOURS HAVE BEEN PROVIDED BY TREHY INGOLD NEATE
LAND DEVELOPMENT



			GENERAL NOTES All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c slab and footings, r.c and steel beams and columns, wind bracing to AS 1170 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.
05.05.22	Amendments to bin area	07	EG
06.12.21	Gross floor area indicated	06	EG
02.12.21	Outdoor storage volume indicated	05	EG
21.10.21	Changed roof material	04	EG
31.08.21	External finishes amended, front fence and gate indicated	03	EG
18.08.21	Minor amendments	02	EG
16.08.21	Preliminary DA plans	01	EG
date	issue log	no.	by

FYFFE DESIGN

residential and building design
w. www.fyffedesign.com.au

UH-1E/C-25CN - UH-1E/LP - L-18158

Unit 3G, 256 Ne
Phone:  BUILDING DESIGNERS


Accredited Member
No. 1672 14

NEW CHILD CARE CENTRE
T X, NO. 59 EDWARDS ROAD,
WAHROONGA

KNGS PROPERTIES PTY LTD
DP 413605 - HORNSBY COUNCIL

o. 20009 date August 21

SITE PLAN
SITE MANAGEMENT PLAN



			GENERAL NOTES All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c slab and footings, r.c and steel beams and columns, wind bracing to AS 1170 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.
05.05.22	Amendments to bin area	07	EG
06.12.21	Gross floor area indicated	06	EG
02.12.21	Outdoor storage volume indicated	05	EG
21.10.21	Changed roof material	04	EG
31.08.21	External finishes amended, front fence and gate indicated	03	EG
18.08.21	Minor amendments	02	EG
16.08.21	Preliminary DA plans	01	EG
date	issue log	no.	by

FYFFE DESIGN

residential and building design
w. www.fyffedesign.com.au
e. info@fyffedesign.com.au

Unit 5G, 256 New Line Road, Dural 2158
Phone: 02 9634 3600

 BUILDING
DESIGNERS
AUSTRALIA NSW

NEW CHILD CARE CENTRE

LOT X NO. 59 EDWARDS ROAD


WAHROONGA


R KNGS PROPERTIES PTY LTD
DP 413605 - HORNSBY COUNCIL

ct no. | date | L1


20009 August 21

SITE ANALYSIS PLAN 03/16





Printed 05/05/22



NOTE:
All work to be carried out in accordance with the
National Construction Code 2019 and relevant
Australian Standards

			GENERAL NOTES All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c slab and footings, r.c and steel beams and columns, wind bracing to AS 1170 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.
05.05.22	Amendments to bin area	07	EG
06.12.21	Gross floor area indicated	06	EG
02.12.21	Outdoor storage volume indicated	05	EG
21.10.21	Changed roof material	04	EG
31.08.21	External finishes amended, front fence and gate indicated	03	EG
18.08.21	Minor amendments	02	EG
16.08.21	Preliminary DA plans	01	EG
date	issue log	no.	by

FYFFE DESIGN

residential and building design
w. www.fyffedesign.com.au
e. info@fyffedesign.com.au

Unit 5G, 256 New Line Road, Dural 2158
Phone: 02 9634 3600

bda BUILDING DESIGNERS AUSTRALIA NSW Accredited Member

NEW CHILD CARE CENTRE

LOT X, NO. 59 EDWARDS ROAD,
WAHROONGA.


WAHROONGA
KNGS PROPERTIES PTY LTD
DP 413605 - HORNSBY COUNCIL

DI 415505 HORNSBY COUNCIL


no. 20009 date

^g BASEMENT FLOOR no. 0-

drawn EC



NOTE:
All work to be carried out in accordance with the
National Construction Code 2019 and relevant
Australian Standards



			GENERAL NOTES All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c slab and footings, r.c and steel beams and columns, wind bracing to AS 1170 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.
05.05.22	Amendments to bin area	07	EG
06.12.21	Gross floor area indicated	06	EG
02.12.21	Outdoor storage volume indicated	05	EG
21.10.21	Changed roof material	04	EG
31.08.21	External finishes amended, front fence and gate indicated	03	EG
18.08.21	Minor amendments	02	EG
16.08.21	Preliminary DA plans	01	EG
date	issue log	no.	by

FYFFE DESIGN

residential and building design
w. www.fyffedesign.com.au

e. info@lynnedesign.com.au
Unit 5G, 256 New Line Road, Dural 2158
Phone: 02 9634 3600

bda BUILDING DESIGNERS AUSTRALIA NSW Accredited No. 16

NEW CHILD CARE CENTRE

T LOT X, NO. 59 EDWARDS ROAD,
WAHROONGA

OR KNGS PROPERTIES PTY LTD
DP 413605 - HORNSBY COUNCIL

ject no. 20009 date A
no.

dwning No. 05
GROUND FLOOR



PROPOSED UNENCUMBERED INDOOR PLAY AREA	
INDOOR AREA REQ.:	3.25m ² / CHILD
TOTAL INDOOR AREA PROVIDED:	295.9m ²
NUMBER OF CHILDREN:	91

PROPOSED UNENCUMBERED OUTDOOR PLAY AREA	
OUTDOOR AREA REQ.:	7.0m ² / CHILD
TOTAL OUTDOOR AREA PROVIDED:	637.5m ²
NUMBER OF CHILDREN:	91


CAR PARK SPACE REQ.	
NUMBER OF CHILDREN:	91

23 (1space / 4 children)

MAX OCCUPANTS AT ANY TIME : 91 CHILDREN + 17 ADULT = 109



NORTHWEST BOUNDARY
FENCE DETAIL
scale 1:100



ROAD
EDWARDS

		GENERAL NOTES	
05.05.22	Amendments to bin area	07 EG	NOTES
06.12.21	Gross floor area indicated	06 EG	All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c slab and footings, r.c and steel beams and columns, wind bracing to AS 1170 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.
02.12.21	Outdoor storage volume indicated	05 EG	
21.10.21	Changed roof material	04 EG	
31.08.21	External finishes amended, front fence and gate indicated	03 EG	
18.08.21	Minor amendments	02 EG	
16.08.21	Preliminary DA plans	01 EG	
	date	issue log	no. by

GENERAL NOTES

All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c slab and footings, r.c and steel beams and columns, wind bracing to AS 1170 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.

NOTES

Do not scale off the drawing unless otherwise stated and use figures dimensions in preference. All dimensions are to be checked and verified by the CONTRACTOR on the site before the commencement of any work, all dimensions and levels are subject to final survey and set-out. Discrepancies to be reported to designer prior to commencement. No responsibility will be accepted by this firm for any variations in design, builders method of construction or materials used, deviation from specification without permission or accepted work practices resulting in inferior construction.

COPYRIGHT CLAUSE


This drawing and design is the property of FYFFE DESIGN and should not be reproduced either in part or whole without the written consent of this firm. The information shown on it is regarded as confidential and must not be disclosed to any third party. This drawing must be returned upon request.

FYFFE DESIGN
residential and building design
w. www.fyffedesign.com.au
e. info@fyffedesign.com.au
Unit 5G, 256 New Line Road, Dural 2158
Phone: 02 9634 3600

bda BUILDING DESIGNERS AUSTRALIA NSW
Accredited Member No. 1672-14

NEW CHILD CARE CENTRE
AT LOT X, NO. 5 EDWARDS ROAD,
WAHROONGA
FOR KNGS PROPERTIES PTY LTD
DP 413605 - HORNSBY COUNCIL

project no.	20009	date	August 21
drawing	AREA CALCULATIONS	no.	06/16
scale	1:200 @A2	drawn	E.G.
amendment	07		



Printed 05/05/22

GENERAL NOTES			
All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c slab and footings, r.c and steel beams and columns, wind bracing to AS 1170 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.			
05.05.22 Amendments to bin area	07 EG	NOTES	
06.12.21 Gross floor area indicated	06 EG	Do not scale off the drawing unless otherwise stated and use figures dimensions in preference. All dimensions are to be checked and verified by the CONTRACTOR on the site before the commencement of any work, all dimensions and levels are subject to final survey and set-out. Discrepancies to be reported to designer prior to commencement. No responsibility will be accepted by this firm for any variations in design, builders method of construction or materials used, deviation from specification without permission or accepted work practices resulting in inferior construction.	
02.12.21 Outdoor storage volume indicated	05 EG		
21.10.21 Changed roof material	04 EG		
31.08.21 External finishes amended, front fence and gate indicated	03 EG		
18.08.21 Minor amendments	02 EG	COPYRIGHT CLAUSE	
16.08.21 Preliminary DA plans	01 EG	This drawing and design is the property of FYFFE DESIGN and should not be reproduced either in part or whole without the written consent of this firm. The information shown on it is regarded as confidential and must not be disclosed to any third party. This drawing must be returned upon request.	
date	Issue log	no.	by

FYFFE DESIGN

residential and building design
w. www.fyffedesign.com.au
e. info@fyffedesign.com.au

Unit 5G, 256 New Line Road, Dural 2158
Phone: 02 9634 3600

bda BUILDING DESIGNERS AUSTRALIA NSW
Accredited Member No. 1672-14

NEW CHILD CARE CENTRE

AT LOT X, NO. 59 EDWARDS ROAD,
WAHROONGA



FOR KNGS PROPERTIES PTY LTD
DP 413605 - HORNSBY COUNCIL

project no. 20009 date August 21

drawing ROOF PLAN no. 07/16

scale 1:100 @A2 drawn E.G.

amendment 07



Printed 05/05/22

NOTE:
All work to be carried out in accordance with the National Construction Code 2019 and relevant Australian Standards.

GENERAL NOTES			
All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c. slab and footings, r.c. and steel beams and columns, wind bracing to AS 1170 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.			
05.05.22	Amendments to bin area	07	EG
06.12.21	Gross floor area indicated	04	EG
02.12.21	Outdoor storage volume indicated	05	EG
21.10.21	Changed roof material	04	EG
31.08.21	External finishes amended, front fence and gate indicated	03	EG
18.08.21	Minor amendments	02	EG
16.08.21	Preliminary DA plans	01	EG
date	Issue log	no.	by



NOTES
Do not scale off the drawing unless otherwise stated and use figures dimensions in preference. All dimensions are to be checked and verified by the CONTRACTOR on the site before the commencement of any work, all dimensions and levels are subject to final survey and set-out. Discrepancies to be reported to designer prior to commencement. No responsibility will be accepted by this firm for any variations in design, builders method of construction or materials used, deviation from specification without permission or accepted work practices resulting in inferior construction.

COPYRIGHT CLAUSE
This drawing and design is the property of FYFFE DESIGN and should not be reproduced either in part or whole without the written consent of this firm. The information shown on it is regarded as confidential and must not be disclosed to any third party. This drawing must be returned upon request.

FYFFE DESIGN
residential and building design
w. www.fyffedesign.com.au
e. info@fyffedesign.com.au
Unit 5G, 256 New Line Road, Dural 2158
Phone: 02 9634 3600



bda BUILDING DESIGNERS AUSTRALIA NSW
Accredited Member No. 1672-14

NEW CHILD CARE CENTRE
AT LOT X, NO. 59 EDWARDS ROAD,
WAHROONGA
FOR KNGS PROPERTIES PTY LTD
DP 413605 - HORNSBY COUNCIL
project no. 20009 date August 21
drawing ELEVATIONS no. 08/16
scale 1:100 @A2 drawn E.G.
amendment 07



Printed 05/05/22

		GENERAL NOTES				NEW CHILD CARE CENTRE	
		All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c slab and footings, r.c and steel beams and columns, wind bracing to AS 1170 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.				AT LOT X, NO. 59 EDWARDS ROAD, WAHROONGA	
05.05.22 Amendments to bin area		07 EG		NOTES		FOR KNGS PROPERTIES PTY LTD DP 413605 - HORNSBY COUNCIL	
06.12.21 Gross floor area indicated		06 EG		Do not scale off the drawing unless otherwise stated and use figures dimensions in preference. All dimensions are to be checked and verified by the CONTRACTOR on the site before the commencement of any work, all dimensions and levels are subject to final survey and set-out. Discrepancies to be reported to designer prior to commencement. No responsibility will be accepted by this firm for any variations in design, builders method of construction or materials used, deviation from specification without permission or accepted work practices resulting in inferior construction.		project no. 20009 date August 21	
02.12.21 Outdoor storage volume indicated		05 EG				drawing no. 09/16	
21.10.21 Changed roof material		04 EG				ELEVATIONS	
31.08.21 External finishes amended, front fence and gate indicated		03 EG				Accredited Member No. 1672-14	
18.08.21 Minor amendments		02 EG		COPYRIGHT CLAUSE		scale 1:100 @ A2 drawn E.G.	
16.08.21 Preliminary DA plans		01 EG		This drawing and design is the property of FYFFE DESIGN and should not be reproduced either in part or whole without the written consent of this firm. The information shown on it is regarded as confidential and must not be disclosed to any third party. This drawing must be returned upon request.		amendment 07	
date issue log		no. by					



Printed 05/05/22

NOTE:
All work to be carried out in accordance with the National Construction Code 2019 and relevant Australian Standards.

GENERAL NOTES			
All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c. slab and footings, r.c. and steel beams and columns, wind bracing to AS 1170 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.			
05.05.22	Amendments to bin area	07	EG
06.12.21	Gross floor area indicated	04	EG
02.12.21	Outdoor storage volume indicated	05	EG
21.10.21	Changed roof material	04	EG
31.08.21	External finishes amended, front fence and gate indicated	03	EG
18.08.21	Minor amendments	02	EG
16.08.21	Preliminary DA plans	01	EG
date	Issue log	no.	by





NOTES
Do not scale off the drawing unless otherwise stated and use figures dimensions in preference. All dimensions are to be checked and verified by the CONTRACTOR on the site before the commencement of any work, all dimensions and levels are subject to final survey and set-out. Discrepancies to be reported to designer prior to commencement. No responsibility will be accepted by this firm for any variations in design, builders method of construction or materials used, deviation from specification without permission or accepted work practices resulting in inferior construction.

COPYRIGHT CLAUSE
This drawing and design is the property of FYFFE DESIGN and should not be reproduced either in part or whole without the written consent of this firm. The information shown on it is regarded as confidential and must not be disclosed to any third party. This drawing must be returned upon request.

FYFFE DESIGN
residential and building design
w. www.fyffedesign.com.au
e. info@fyffedesign.com.au
Unit 5G, 256 New Line Road, Dural 2158
Phone: 02 9634 3600

bda BUILDING DESIGNERS AUSTRALIA NSW
Accredited Member No. 1672-14

NEW CHILD CARE CENTRE
AT LOT X, NO. 59 EDWARDS ROAD,
WAHROONGA
FOR KNGS PROPERTIES PTY LTD
DP 413605 - HORNSBY COUNCIL
project no. 20009 date August 21
drawing SECTIONS A-A AND B-B no. 10/16
scale 1:100 @A2 drawn E.G.
amendment 07



NOTE:
All work to be carried out in accordance with the National Construction Code 2019 and relevant Australian Standards.

GENERAL NOTES			
All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c. slab and footings, r.c. and steel beams and columns, wind bracing to AS 1170 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.			
05.05.22	Amendments to bin area	07	EG
06.12.21	Gross floor area indicated	04	EG
02.12.21	Outdoor storage volume indicated	05	EG
21.10.21	Changed roof material	04	EG
31.08.21	External finishes amended, front fence and gate indicated	03	EG
18.08.21	Minor amendments	02	EG
16.08.21	Preliminary DA plans	01	EG
date	Issue log	no.	by

NOTES
Do not scale off the drawing unless otherwise stated and use figures dimensions in preference. All dimensions are to be checked and verified by the CONTRACTOR on the site before the commencement of any work, all dimensions and levels are subject to final survey and set-out. Discrepancies to be reported to designer prior to commencement. No responsibility will be accepted by this firm for any variations in design, builders method of construction or materials used, deviation from specification without permission or accepted work practices resulting in inferior construction.

COPYRIGHT CLAUSE
This drawing and design is the property of FYFFE DESIGN and should not be reproduced either in part or whole without the written consent of this firm. The information shown on it is regarded as confidential and must not be disclosed to any third party. This drawing must be returned upon request.

FYFFE DESIGN

residential and building design

w. www.fyffedesign.com.au
e. info@fyffedesign.com.au

Unit 5G, 256 New Line Road, Dural 2158
Phone: 02 9634 3600

Accredited Member
No. 1672-14

Printed 05/05/22

NEW CHILD CARE CENTRE
AT LOT X, NO. 59 EDWARDS ROAD,
WAHROONGA


FOR KNGS PROPERTIES PTY LTD
DP 413605 - HORNSBY COUNCIL

project no. 20009 date August 21


drawing SECTIONS C-C AND D-D no. 11/16
DETAIL 1 - DRIVEWAY PROFILE

scale 1:100 @A2 drawn E.G.
amendment 07

bda
BUILDING
DESIGNERS
AUSTRALIA NSW



Printed 05/05/22



21st JUNE

shadows cast outside the


		GENERAL NOTES
All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c slab and footings, r.c and steel beams and columns, wind bracing to AS 1700 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.		
05.05.22	Amendments to bin area	07 EG
06.12.21	Gross floor area indicated	06 EG
02.12.21	Outdoor storage volume indicated	05 EG
21.10.21	Changed roof material	04 EG
31.08.21	External finishes amended, front fence and gate indicated	03 EG
18.08.21	Minor amendments	02 EG
16.08.21	Preliminary DA plans	01 EG
	date issue log	no. by

FYFFE DESIGN
residential and building design
w. www.fyffedesign.com.au
e. info@fyffedesign.com.au
Unit 5G, 256 New Line Road, Dural 2158
Phone: 02 9634 3600


bda BUILDING DESIGNERS AUSTRALIA NSW
Accredited Member No. 1672-14

NEW CHILD CARE CENTRE
AT LOT X, NO. 59 EDWARDS ROAD,
WAHROONGA
FOR KNGS PROPERTIES PTY LTD
DP 413605 - HORNSBY COUNCIL

project no.	20009	date	August 21
drawing	SHADOW DIAGRAM 21 June 9am	no.	12/16
scale	1:200 @A2	drawn	E.G.
amendment	07		



Printed 05/05/22



21st JUNE

shadows cast outside the

GENERAL NOTES	
All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c slab and footings, r.c and steel beams and columns, wind bracing to AS 1700 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.	
05.05.22 Amendments to bin area	07 EG
06.12.21 Gross floor area indicated	06 EG
02.12.21 Outdoor storage volume indicated	05 EG
21.10.21 Changed roof material	04 EG
31.08.21 External finishes amended, front fence and gate indicated	03 EG
18.08.21 Minor amendments	02 EG
16.08.21 Preliminary DA plans	01 EG
date issue log	no. by

NOTES
Do not scale off the drawing unless otherwise stated and use figures dimensions in preference. All dimensions are to be checked and verified by the CONTRACTOR on the site before the commencement of any work, all dimensions and levels are subject to final survey and set-out. Discrepancies to be reported to designer prior to commencement. No responsibility will be accepted by this firm for any variations in design, builders method of construction or materials used, deviation from specification without permission or accepted work practices resulting in inferior construction.

COPYRIGHT CLAUSE
This drawing and design is the property of FYFFE DESIGN and should not be reproduced either in part or whole without the written consent of this firm. The information shown on it is regarded as confidential and must not be disclosed to any third party. This drawing must be returned upon request.

FYFFE DESIGN

residential and building design
w. www.fyffedesign.com.au
e. info@fyffedesign.com.au

Unit 5G, 256 New Line Road, Dural 2158
Phone: 02 9634 3600

Accredited Member
No. 1672-14

NEW CHILD CARE CENTRE

AT LOT X, NO. 59 EDWARDS ROAD,
WAHROONGA

FOR KNGS PROPERTIES PTY LTD
DP 413605 - HORNSBY COUNCIL


project no. 20009 date August 21

drawing SHADOW DIAGRAM no. 13/16
21 June 12pm


scale 1:200 @ A2 drawn E.G.

amendment 07





Printed 05/05/22



21st JUNE

shadows cast outside the

		GENERAL NOTES	
05.05.22	Amendments to bin area	07	EG
06.12.21	Gross floor area indicated	06	EG
02.12.21	Outdoor storage volume indicated	05	EG
21.10.21	Changed roof material	04	EG
31.08.21	External finishes amended, front fence and gate indicated	03	EG
18.08.21	Minor amendments	02	EG
16.08.21	Preliminary DA plans	01	EG
	date issue log	no. by	

FYFFE DESIGN
residential and building design
w. www.fyffedesign.com.au
e. info@fyffedesign.com.au
Unit 5G, 256 New Line Road, Dural 2158
Phone: 02 9634 3600

BUILDING DESIGNERS
AUSTRALIA NSW
Accredited Member
No. 1672-14

NEW CHILD CARE CENTRE

AT LOT X, NO. 59 EDWARDS ROAD,
WAHROONGA


FOR KNGS PROPERTIES PTY LTD
DP 413605 - HORNSBY COUNCIL

project no. 20009 date August 21

drawing SHADOW DIAGRAM no. 14/16

scale 1:200 @ A2 drawn E.G.


amendment 07



northeast elevation

EXTERNAL FINISHES


EXTERNAL WALLS
RENDER + PAINT
OFF WHITE



EXTERNAL WALLS
RENDER + PAINT
WOODLAND GREY
OR
SIMILAR



EXTERNAL WALLS
NAOMI VALLEY
FEDERATION RED
OR
SIMILAR



ROOF
KLIP-LOK
MONUMENT
OR
SIMILAR



GUTTER AND FACIA
COLORBOND MONUMENT
OR
SIMILAR



GARAGE DOOR
WOODLAND GREY
OR
SIMILAR



WINDOWS AND
DOORS
WOODLAND GREY
OR
SIMILAR






GABLE ROOF TRIMS
WOODLAND GREY
OR
SIMILAR



Printed 05/05/22

			GENERAL NOTES All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c slab and footings, r.c and steel beams and columns, wind bracing to AS 1170 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.	FYFFE DESIGN residential and building design w. www.fyffedesign.com.au e. info@fyffedesign.com.au Unit 5G, 256 New Line Road, Dural 2158 Phone: 02 9634 3600	NEW CHILD CARE CENTRE AT LOT X, NO. 59 EDWARDS ROAD, WAHROONGA FOR KNGS PROPERTIES PTY LTD DP 413605 - HORNSBY COUNCIL
05.05.22	Amendments to bin area	07 EG	NOTES Do not scale off the drawing unless otherwise stated and use figures dimensions in preference. All dimensions are to be checked and verified by the CONTRACTOR on the site before the commencement of any work, all dimensions and levels are subject to final survey and set-out. Discrepancies to be reported to designer prior to commencement. No responsibility will be accepted by this firm for any variations in design, builders method of construction or materials used, deviation from specification without permission or accepted work practices resulting in inferior construction.		project no. 20009 date August 21
06.12.21	Gross floor area indicated	06 EG			drawing EXTERNAL FINISHES no. 15/16
02.12.21	Outdoor storage volume indicated	05 EG			scale drawn E.G. amendment 07
21.10.21	Changed roof material	04 EG			
31.08.21	External finishes amended, front fence and gate indicated	03 EG			
18.08.21	Minor amendments	02 EG			
16.08.21	Preliminary DA plans	01 EG			
date	issue log	no. by	COPYRIGHT CLAUSE This drawing and design is the property of FYFFE DESIGN and should not be reproduced either in part or whole without the written consent of this firm. The information shown on it is regarded as confidential and must not be disclosed to any third party. This drawing must be returned upon request.	bda BUILDING DESIGNERS AUSTRALIA NSW	Accredited Member No. 1672-14



Printed 05/05/22

GENERAL NOTES

All work to be carried out in accordance with the National Construction Code 2019, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned. All structural work and site drainage to be subject to the Engineers details or certification where required by council. This shall include r.c slab and footings, r.c and steel beams and columns, wind bracing to AS 1170 and AS 4055, anchor rods or bolts, tie downs, fixings, etc... driveway slab and drainage to councils satisfaction.

NOTES

Do not scale off the drawing unless otherwise stated and use figures dimensions in preference. All dimensions are to be checked and verified by the CONTRACTOR on the site before the commencement of any work, all dimensions and levels are subject to final survey and set-out. Discrepancies to be reported to designer prior to commencement. No responsibility will be accepted by this firm for any variations in design, builders method of construction or materials used, deviation from specification without permission or accepted work practices resulting in inferior construction.

COPYRIGHT CLAUSE

This drawing and design is the property of FYFFE DESIGN and should not be reproduced either in part or whole without the written consent of this firm. The information shown on it is regarded as confidential and must not be disclosed to any third party. This drawing must be returned upon request.

FYFFE DESIGN

residential and building design

w. www.fyffedesign.com.au
e. info@fyffedesign.com.au

Unit 5G, 256 New Line Road, Dural 2158
Phone: 02 9634 3600



Accredited Member
No. 1672-14

NEW CHILD CARE CENTRE

AT LOT X, NO. 59 EDWARDS ROAD,
WAHROONGA

FOR KNGS PROPERTIES PTY LTD
DP 413605 - HORNSBY COUNCIL

project no. 20009 date August 21

drawing NOTIFICATION PLAN no. 16/16

scale 1:300 @A3 drawn E.G. amendment 07

05.05.22	Amendments to bin area	07 EG
06.12.21	Gross floor area indicated	06 EG
02.12.21	Outdoor storage volume indicated	05 EG
21.10.21	Changed roof material	04 EG
31.08.21	External finishes amended, front fence and gate indicated	03 EG
18.08.21	Minor amendments	02 EG
16.08.21	Preliminary DA plans	01 EG
date	issue log	no. by